ELSEVIER

Analytica Chimica Acta 523 (2004) 301–303

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Aguilar-Caballos, M.P., see Sánchez-Martínez, M.L. 35
Ahmed, S.A., see Soliman, E.M. 133
Airoldi, C., see Lazarin, A.M. 89
Alonso, R.M., see Oudou, H.C. 69
Ando, M., see Uchiyama, S. 157
Aoyagi, S., see Uchiyama, S. 157
Arce, L., see Nozal, L. 21

Bakker, E., see Sutter, J. 53
Bao, L., see Zhu, X. 43
Barna-Vetró, I., see Paepens, C. 229
Bruun Hansen, H.C., see Oudou, H.C. 69

Cai, H.
—, Shang, C. and Hsing, I.-M.
Sequence-specific electrochemical recognition of multiple species using nanoparticle labels 61
Cazurro, C., see Pardo, R. 125
Chen, D., see Yu, Y. 15
Chen, D., see Zhou, H. 237
Chen, J.
—, Liu, X. and Shi, Y.-P.
Determination of daphnetin in *Daphne tangutica* and its medicinal preparation by liquid chromatography 29
Chen, J., see Jin, S. 117
Chen, S.-H., see Lin, F.-M. 9
Chen, X., see Zhang, Y. 171
Chen, Z.
—, Uchiyama, K. and Hobo, T.
Chiral resolution of dansyl amino acids by ligand exchange-capillary electrophoresis using Cu(II)-L-prolinamides as chiral selector 1
Chicharro, M.
—, Sánchez, A., Zapardiel, A., Rubianes, M.D. and Rivas, G.
Capillary electrophoresis of neurotransmitters with amperometric detection at melanin-type polymer-modified carbon electrodes 185
Chimuka, L., see Cukrowska, E. 141
Chomchoei, R., see Long, X. 279
Cukrowska, E.
—, Chimuka, L., Nsengimana, H. and Kwaramba, V.
Application of supported liquid membrane probe for extraction and preconcentration of organotin compounds from environmental water samples 141

Da, S.-L., see Fan, Y. 251
Debán, L., see Pardo, R. 125
Dempsey, J., see Wu, N. 149
Dias, I.L.T., see Moreira, A.B. 49
Ding, P., see Yu, Y. 15
Dovletoglou, A., see Wu, N. 149

Ellison, D., see Wu, N. 149
El-Nemma, E.M., see Sweileh, J.A. 287
Embiruçu, M., see Quintella, C.M. 293

Fan, C.
—, Liu, X., Pang, J., Li, G. and Scheer, H.
Highly sensitive voltammetric biosensor for nitric oxide based on its high affinity with hemoglobin 225
Fan, Y.
—, Feng, Y.-Q., Da, S.-L. and Shi, Z.-G.
Poly (methacrylic acid–ethylene glycol dimethacrylate) monolithic capillary for in-tube solid phase microextraction coupled to high performance liquid chromatography and its application to determination of basic drugs in human serum 251
Feng, Y.-Q., see Fan, Y. 251

Gała, P., see Long, X. 279
Gao, R.-Y., see Liu, Z.-S. 243
Gil, A., see Zielinska, D. 177
Głąb, S., see Radomska, A. 193
Gómez-Hens, A., see Sánchez-Martínez, M.L. 35
Gu, Q., see Zhang, Y. 171
Guerra, C., see Pardo, R. 125
Guerra, C.M., see Pardo, R. 125
Guo, R., see Zhu, X. 43

Hansen, E.H., see Long, X. 279
He, D., see Zhou, H. 237
Helena, B.A., see Pardo, R. 125
Hirabayashi, G., see Sugawara, K. 75
Hobo, T., see Chen, Z. 1
Hon, P.Y.T., see Kwan, R.C.H. 81
Hsing, I.-M., see Cai, H. 61
Hu, Y., see Zhou, H. 237
Huang, Y., see Zhou, H. 237

Iwasaki, Y., see Kurihara, K. 165

Jeanty, G.A.A.C.A., see Silva Nunes, G. 107
Jin, S.
—, Xu, Z., Chen, J., Liang, X., Wu, Y. and Qian, X.
Determination of organophosphate and carbamate pesticides based on enzyme inhibition using a pH-sensitive fluorescence probe 117

Kamiya, N., see Sugawara, K. 75
King, A.J.
—, Readman, J.W. and Zhou, J.L.
Determination of polycyclic aromatic hydrocarbons in water by solid-phase microextraction–gas chromatography–mass spectrometry 259
Koncki, R., see Radomska, A. 193
Korn, M., see Quintella, C.M. 293
Kou, H.-S., see Lin, F.-M. 9
Kovala-Demertzi, D., see Roman, G. 201
Kubota, L.T., see Moreira, A.B. 49
Kuramitz, H., see Sugawara, K. 75
Kurihara, K.
—, Ohkawa, H., Iwasaki, Y., Niwa, O., Tobita, T. and Suzuki, K.
Fiber-optic conical microsensors for surface plasmon resonance using chemically etched single-mode fiber 165

doi:10.1016/S0003-2670(04)01171-7

Kwan, R.C.H.
—, Hon, P.Y.T. and Renneberg, R.
Amperometric biosensor for rapid determination of alanine 81
Kwaramba, V., see Cukrowska, E. 141

Lazarin, A.M.
— and Airoldi, C.
Intercalation of methylene blue into barium phosphate—synthesis and electrochemical investigation 89
Leenheer, J.A., see Rostad, C.E. 269
Léglise, I., see Paepens, C. 229
Li, G., see Fan, C. 225
Liang, X., see Jin, S. 117
Lima, A.M.V., see Quintella, C.M. 293
Lin, F.-M.
—, Kou, H.-S., Wu, S.-M., Chen, S.-H. and Wu, H.-L.
Capillary electrophoresis analysis of gabapentin and vigabatrin in pharmaceutical preparations as ofloxacin derivatives 9
Liu, X., see Chen, J. 29
Liu, X., see Fan, C. 225
Liu, Z.-S.
—, Xu, Y.-L., Yan, C. and Gao, R.-Y.
Preparation and characterization of molecularly imprinted monolithic column based on 4-hydroxybenzoic acid for the molecular recognition in capillary electrochromatography 243
Long, X.
—, Chomchoei, R., Gała, P. and Hansen, E.H.
Evaluation of a novel PTFE material for use as a means for separation and preconcentration of trace levels of metal ions in sequential injection (SI) and sequential injection lab-on-valve (SI-LOV) systems. Determination of cadmium(II) with detection by electrothermal atomic absorption spectrometry (ETAAS) 279

Maksymiuk, K., see Michalska, A. 97
Marty, J.-L., see Silva Nunes, G. 107
Matsushima, E., see Uchiyama, S. 157
Michalska, A.
— and Maksymiuk, K.
All-plastic, disposable, low detection limit ion-selective electrodes 97
Moreira, A.B.
—, Dias, I.L.T., Neto, G.O., Zagatto, E.A.G. and Kubota, L.T.
Solid-phase fluorescence spectroscopy for the determination of acetylsalicylic acid in powdered pharmaceutical samples 49
Musse, A.P.S., see Quintella, C.M. 293

Nagels, L.J., see Zielinska, D. 177
Neto, G.O., see Moreira, A.B. 49
Niu, Y., see Zhang, S. 209
Niwa, O., see Kurihara, K. 165
Nozal, L.
—, Arce, L., Ríos, A. and Valcárcel, M.
Development of a screening method for analytical control of antibiotic residues by micellar electrokinetic capillary chromatography 21
Nsengimana, H., see Cukrowska, E. 141

Ohkawa, H., see Kurihara, K. 165
Oudou, H.C.
—, Alonso, R.M. and Bruun Hansen, H.C.
Voltammetric behaviour of the synthetic pyrethroid lambda-cyhalothrin and its determination in soil and well water 69

Paepens, C.
—, Saeger, S.D., Sibanda, L., Barna-Vetró, I., Léglise, I., Van Hove, F. and Peteghem, C.V.
A flow-through enzyme immunoassay for the screening of fumonisins in maize 229
Pandey, P.C.
—, Upadhyay, B.C. and Upadhyay, A.K.
Differential selectivity in electrochemical oxidation of ascorbic acid and hydrogen peroxide at the surface of functionalized ormosil-modified electrodes 219
Pang, J., see Fan, C. 225
Pappas, A.Ch., see Roman, G. 201
Pardo, R.
—, Helena, B.A., Cazurro, C., Guerra, C., Debán, L., Guerra, C.M. and Vega, M.
Application of two- and three-way principal component analysis to the interpretation of chemical fractionation results obtained by the use of the B.C.R. procedure 125
Pepe, I., see Quintella, C.M. 293
Peper, S., see Sutter, J. 53
Peteghem, C.V., see Paepens, C. 229
Pietraszkiewicz, M., see Zielinska, D. 177
Pietraszkiewicz, O., see Zielinska, D. 177
Pretsch, E., see Sutter, J. 53
Prodromidis, M.I., see Roman, G. 201
Pyrzyńska, K., see Radomska, A. 193

Qian, X., see Jin, S. 117
Quintella, C.M.
—, Watanabe, Y.N., Lima, A.M.V., Korn, M., Pepe, I., Embiruçu, M. and Musse, A.P.S.
Evaluation of transversal and longitudinal dispersion in a flow injection system by exploiting laser induced fluorescence: influence of flow-cell positioning 293

Radomska, A.
—, Koncki, R., Pyrzyńska, K. and Głąb, S.
Bioanalytical system for control of hemodialysis treatment based on potentiometric biosensors for urea and creatinine 193
Radu, A., see Sutter, J. 53
Readman, J.W., see King, A.J. 259
Renneberg, R., see Kwan, R.C.H. 81
Rivas, G., see Chicharro, M. 185
Roman, G.
—, Pappas, A.Ch., Kovala-Demertzi, D. and Prodromidis, M.I.
Preparation of a 2-(4-fluorophenyl)indole-modified xerogel and its use for the fabrication of screen-printed electrodes for the electrocatalytic determination of sulfide 201
Ríos, A., see Nozal, L. 21
Rostad, C.E.
— and Leenheer, J.A.
Factors that affect molecular weight distribution of Suwannee river fulvic acid as determined by electrospray ionization/mass spectrometry 269
Rubianes, M.D., see Chicharro, M. 185

Saeger, S.D., see Paepens, C. 229
Saleh, M.B., see Soliman, E.M. 133
Scheer, H., see Fan, C. 225
Shang, C., see Cai, H. 61
Shi, Y.-P., see Chen, J. 29
Shi, Z.-G., see Fan, Y. 251
Shirotori, T., see Sugawara, K. 75
Sibanda, L., see Paepens, C. 229
Silva Nunes, G.
—, Jeanty, G.A.A.C.A. and Marty, J.-L.
Enzyme immobilization procedures on screen-printed electrodes used for the detection of anticholinesterase pesticides Comparative study 107
Sánchez, A., see Chicharro, M. 185
Sánchez-Martínez, M.L.
—, Aguilar-Caballos, M.P. and Gómez-Hens, A.
Homogeneous stopped-flow fluorimmunoassay for gliadin determination in food samples 35

Soliman, E.M.
—, Saleh, M.B. and Ahmed, S.A.
New solid phase extractors for selective separation and preconcentration of mercury (II) based on silica gel immobilized aliphatic amines 2-thiophenecarboxaldehyde Schiff's bases 133
Sugawara, K.
—, Shirotori, T., Hirabayashi, G., Kamiya, N., Kuramitz, H. and Tanaka, S.
Voltammetric investigation of avidin–biotin complex formation using an electroactive bisbiotinyl compound 75
Sun, C., see Zhang, S. 209
Sutter, J.
—, Radu, A., Peper, S., Bakker, E. and Pretsch, E.
Solid-contact polymeric membrane electrodes with detection limits in the subnanomolar range 53
Suzuki, K., see Kurihara, K. 165
Sweileh, J.A.
— and El-Nemma, E.M.
On-line elimination of spectral interference of iron matrix in the flame atomic absorption determination of zinc by anion-exchange separation 287

Tanaka, S., see Sugawara, K. 75
Tobita, T., see Kurihara, K. 165

Uchiyama, K., see Chen, Z. 1
Uchiyama, S.
—, Matsushima, E., Aoyagi, S. and Ando, M.
Measurement of acid-catalyzed isomerization of unsaturated aldehyde-2,4-dinitrophenylhydrazone derivatives by high-performance liquid chromatography analysis 157
Upadhyay, A.K., see Pandey, P.C. 219
Upadhyay, B.C., see Pandey, P.C. 219

Valcárcel, M., see Nozal, L. 21
Van de Vijver, D., see Zielinska, D. 177
Van Hove, F., see Paepens, C. 229
Vega, M., see Pardo, R. 125

Watanabe, Y.N., see Quintella, C.M. 293
Wu, H.-L., see Lin, F.-M. 9
Wu, J., see Zhu, X. 43
Wu, N.
—, Dempsey, J., Yehl, P.M., Dovletoglou, A., Ellison, D. and Wyvratt, J.
Practical aspects of fast HPLC separations for pharmaceutical process development using monolithic columns 149
Wu, S.-M., see Lin, F.-M. 9
Wu, Y., see Jin, S. 117
Wyvratt, J., see Wu, N. 149

Xu, Y.-L., see Liu, Z.-S. 243
Xu, Z., see Jin, S. 117

Yan, C., see Liu, Z.-S. 243
Yang, W., see Zhang, S. 209
Yehl, P.M., see Wu, N. 149
Yu, Y.
—, Ding, P. and Chen, D.
Determination of quinolizidine alkaloids in *Sophora* medicinal plants by capillary electrophoresis 15

Zagatto, E.A.G., see Moreira, A.B. 49
Zapardiel, A., see Chicharro, M. 185
Zhang, S.
—, Yang, W., Niu, Y. and Sun, C.
Multilayered construction of glucose oxidase on gold electrodes based on layer-by-layer covalent attachment 209
Zhang, Y.
—, Chen, X., Gu, Q. and Zhong, D.
Quantification of rabeprazole in human plasma by liquid chromatography–tandem mass spectrometry 171
Zhang, Z., see Zhou, H. 237
Zhong, D., see Zhang, Y. 171
Zhou, H.
—, Zhang, Z., He, D., Hu, Y., Huang, Y. and Chen, D.
Flow chemiluminescence sensor for determination of clenbuterol based on molecularly imprinted polymer 237
Zhou, J.L., see King, A.J. 259
Zhu, X.
—, Bao, L., Guo, R. and Wu, J.
Determination of aluminium(III) in water samples in a microemulsion system by spectrofluorimetry 43
Zielinska, D.
—, Gil, A., Pietraszkiewicz, M., Pietraszkiewicz, O., Van de Vijver, D. and Nagels, L.J.
Podand and macrocyclic amine receptors with urea functionalities for potentiometric detection of organic acids in HPLC 177

Vol. 523
Iss. 1
OCT 4

2004